MAR 05 2008

Ø1004

Application Serial No. 10/533,158 Attorney Docket No. 7388/84325 Page 3

## **Amendments to the Claims:**

The following listing of claims replaces any prior listing of claims.

## <u>List of claims</u>:

- 1. (Currently amended) An isolated nucleic acid comprising one sequence selected from the group consisting of the nucleic acid sequences sequence set forth in SEQ ID NO:1 to SEQ ID NO:174 in the Sequence Listing.
  - 2. (Cancelled)
- 3. (Currently amended) An isolated nucleic acid comprising the full complement complementary to the nucleic acid according to claim 1.
  - 4, (Cancelled)
- 5. (Currently amended) An isolated nucleic acid probe comprising nucleic acid (a) or nucleic acid (b):
- (a) an isolated nucleic acid comprising a partial length or the full length of one sequence selected from the group consisting of the nucleic acid sequences sequence set forth in SEQ ID NO:1 to SEQ ID NO:174 in the Sequence Listing, or a nucleic acid complementary and the full complement of SEQ ID NO:1 thereto;
- (b) a nucleic acid capable of hybridizing under stringent conditions to a nucleic acid comprising a partial length or the full length of one sequence selected from the group consisting of nucleic acid sequences set forth in SEQ ID NO:1 to SEQ ID NO:174 in the Sequence Listing, or a nucleic acid complementary thereto.
  - (Cancelled)
  - 7. (Cancelled)

Application Serial No. 10/533,158 Attorney Docket No. 7388/84325 Page 4

- 8. (Currently amended). A primer containing DNA (a) or DNA (b):
- (a) a DNA an isolated nucleic acid comprising one sequence selected from the group consisting of the nucleic acid sequences sequence set forth in SEQ ID NO:175 to and SEQ ID NO:176 in the Sequence Listing, the full complement of SEQ ID NO:175, and the full complement of SEQ ID NO:176. or a DNA complementary thereto;
- (b) a DNA capable of hybridizing under stringent conditions to the DNA comprising one sequence selected from the Coup consisting of nucleic acid sequences set forth in SEQ-ID-NO:175 to SEQ-ID-NO:1076 in the Sequence Listing, or a DNA complementary thereto.
  - 9. (Cancelled)
  - 10. (Cancelled)
- 11. (Currently amended) A method for determining whether a subject with neuroblastoma has stage 4s neuroblastoma, the method comprising detecting the presence or absence of [[a]] the nucleic acid comprising one sequence selected from the group consisting of nucleic acid sequences set forth in SEQ ID NO:1 to SEQ ID NO:14 in the Sequence Listing from a clinical tissue sample of neuroblastoma, wherein the presence of SEQ ID NO:1 indicates that the subject has stage 4s neuroblastoma.
- 12. (Currently amended) A nucleic acid microarray comprising a solid phase support and a combination of plural nucleic acids each comprising a partial length or the full length nucleic acid comprising a an isolated nucleic acid comprising the nucleic acid sequence set forth in one of SEQ ID NO:1 to SEQ ID NO:174 in the Sequence Listing immobilized on the solid phase support.
- 13. (Currently amended) A nucleic acid microarray comprising a solid phase support and at least one isolated nucleic acid selected from the group consisting of a

Application Serial No. 10/533,158 Attorney Docket No. 7388/84325 Page 5

combination of plural nucleic acids each comprising a the nucleic acid sequence set forth in one of SEQ ID NO:175 to and the nucleic acid sequence set forth in SEQ ID NO:176 NO:200, a nucleic acid sequence set forth in one of SEQ ID NO:519 to SEQ ID NO:540 or a nucleic acid sequence set forth in one of SEQ ID NO:785 to SEQ ID NO:798, wherein the at least one isolated nucleic acid is immobilized on the solid phase support.

- 14. (Cancelled)
- 15. (Cancelled)
- 16. (Cancelled)
- 17. (New) A method for determining whether a subject with neuroblastoma has stage 4s neuroblastoma according to claim 11, wherein the presence of the nucleic acid sequence set forth in SEQ ID NO:1 is detected by a diagnostic agent comprising the isolated nucleic acid probe according to claim 5.
- 18. (New) A method for determining whether a subject with neuroblastoma has stage 4s neuroblastoma according to claim 11, wherein the presence of the nucleic acid sequence set forth in SEQ ID NO:1 is detected by a diagnostic kit comprising one pair of the primers according to claim 8.